FILE 'HOME' ENTERED AT 14:16:46 ON 28 DEC 2005

=> fil reg COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 14:16:59 ON 28 DEC 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 27 DEC 2005 HIGHEST RN 870676-46-3 DICTIONARY FILE UPDATES: 27 DEC 2005 HIGHEST RN 870676-46-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

Uploading C:\Program Files\Stnexp\Queries\10727168clm17.str

$$G_3$$
 G_3
 G_3
 G_3
 G_4
 G_5
 G_6

chain nodes :
14 15 18 19
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12
chain bonds :
2-7 4-18 5-19 6-14 9-15
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12
exact/norm bonds :
1-2 1-6 2-3 2-7 3-4 4-5 4-18 5-6 5-19 6-14 7-8 7-12 8-9 9-10 9-15 10-11
11-12

G1:C,N

G2:H,F,OH,CN,CHO

G3:H,Ak

Match level:
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
12:Atom 14:CLASS 15:CLASS 18:CLASS 19:CLASS

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR

G1 C, N

G2 H, F, OH, CN, CHO

G3 H, Ak

Structure attributes must be viewed using STN Express query preparation.

=> s 11

SAMPLE SEARCH INITIATED 14:17:39 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 148 TO ITERATE

100.0% PROCESSED 148 ITERATIONS 2 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 2231 TO 3689

PROJECTED ANSWERS: 2 TO 124

L2 2 SEA SSS SAM L1

=> s 11 full

FULL SEARCH INITIATED 14:17:43 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 3043 TO ITERATE

100.0% PROCESSED 3043 ITERATIONS 13 ANSWERS

SEARCH TIME: 00.00.01

L3 13 SEA SSS FUL L1

=> fil hcaplus

COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST
161.33
161.54

FILE 'HCAPLUS' ENTERED AT 14:17:52 ON 28 DEC 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Dec 2005 VOL 144 ISS 1 FILE LAST UPDATED: 27 Dec 2005 (20051227/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13 L4 2 L3

=> d ed abs ibib hitstr 1-2

L4 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN
ED Entered STN: 05 Jan 2004
AB The rapid evaluation of enantiomeric excess in the high-throughput
screening of libraries has been a hurdle to the discovery of effective
catalysts. A blue-fluorescent monoclonal antibody (mab) addresses this
problem: mab 19C2 is used as a fluorescent sensor to evaluate a prepared
panel of Cinchona atkaloid derivs. in the synthesis of asym. amino acids
by phase-transfer catalysis.
ACCESSION NUMBER: 2004:4113 MCAPLUS
DOCUMENT NUMBER: 140:199488
TITLE: High-throughput screening by using a blue-fluorescent
antibody sensor
AUTHOR(S): Matsushita, Masayuki; Yoshida, Kazuhiro; Yamamoto,
Noboru: Wirsching, Peter; Lerner, Richard A. Janda,
Kim D.
CORPORATE SOURCE: Department of Chemistry and The Skaggs Institute for
Chemical Biology. The Scripps Research Institute, La
Jolla, CA, 92037, USA
Angewandte Chemie, International Edition (2003),
42(48), 5984-5987
CODEN: ACIEF5; ISSN: 1433-7851

PUBLISHER: Wiley-VCH Verlag Gmb4 6 Co. KGAA

DOCUMENT TYPE: Journal
LANGUAGE: English
IT 661453-82-3P 661453-83-49 F661453-84-5P

661453-85-69 661453-83-49 F661453-85-7-9P
RL: CAT (Catalyst use): SPN (Synthetic preparation); PREP (Preparation);
USES (Uses)

(preparation of Cinchona atkaloids as phase-transfer catalysts for the asym.
synthesis of amino acids)

RN 661453-82-3 HCAPLUS
CN Cinchonanium, 3,9-epoxy-10,11-dihydro-6'-hydroxy-1-(phenylmethyl)-,
bromide, (3a, 93)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).

Absolute stereochemistry. Rotation (-).

661453-83-4 HCAPLUS

Cinchonanium, 3,9-peoxy-10,11-dihydro-1-(phenylmethyl)-6'-(2-propenyloxy)-, bromide, (3\alpha,95)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).

ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN (Continued)

∼сн₂

 $\begin{array}{llll} 661453-86-7 & \text{HCAPLUS} \\ \text{Cinchonanium, } 1-[\{3,5-\text{bis(phenylmethoxy)phenyl}\}\text{methyl}]-3,9-\text{epoxy-10,11-dihydro-6'-hydroxy-, bromide, } (3\alpha,95)-\{9CI\} & \text{(CA INDEX NAME)} \end{array}$

Absolute stereochemistry. Rotation (-).

● Br

661453-87-8 HCAPLUS Cinchonanium, 1-[[3,5-bis(phenylmethoxy)phenyl]methyl]-3,9-epoxy-10,11-dihydro-6'-(2-propenyloxy)-, bromide, (3a,98)- (9CI) (CA INDEX

Absolute stereochemistry. Rotation (-).

ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN (Continued)

• Br

661453-84-5 HCAPLUS Cinchonanium, 1-(9-anthracenylmethyl)-10,11-dihydro-3,9-epoxy-6'-hydroxy-, chloride, (3a,98)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).

661453-85-6 HCAPLUS Cinchonanium, 1-(9-anthracenylmethyl)-10,11-dihydro-3,9-epoxy-6'-(2-propenyloxy)-, bromide, (3m,95)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).

ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN (Continued)

REFERENCE COUNT:

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

MeO-C-CH₂-O

CH₂

CH-Me

OH

OH

N

(Continued)

ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN

=> fil req COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION 12.33 173.87 FULL ESTIMATED COST SINCE FILE DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) TOTAL SESSION ENTRY CA SUBSCRIBER PRICE -1.46-1.46

FILE 'REGISTRY' ENTERED AT 14:18:15 ON 28 DEC 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 27 DEC 2005 HIGHEST RN 870676-46-3 DICTIONARY FILE UPDATES: 27 DEC 2005 HIGHEST RN 870676-46-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=> d l1 L1 HAS NO ANSWERS L1 STR

G1 C,N

G2 H, F, OH, CN, CHO

G3 H, Ak

Structure attributes must be viewed using STN Express query preparation.

=> log y		
COST IN U.S. DOLLARS	SINCE FILE	\mathtt{TOTAL}
	ENTRY	SESSION
FULL ESTIMATED COST	0.43	174.30
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-1.46

STN INTERNATIONAL LOGOFF AT 14:18:23 ON 28 DEC 2005